

1

SAFETY DATA SHEET

1. PRODUCT & COMPANY IDENTIFICATION

Product Name:	Citrus Mechanic Hand Wash
Uses:	Hand cleaner with grit Creation
COMPANY DETAILS :	
Company:	Enviro Chemicals (Aust.) Pty Ltd.
(A.C.N :	094087493)
Address:	740-744 Woodville Road Fairfield East
NSW	2165.
Emergency PH:	(02) 9755 2012 (Business hour) or

Poisons Information Centre Telephone: 13 11 26



2. HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE

THIS PRODUCT IS CLASSIFIED AS: NOT CLASSIFIED AS HAZARDOUS ACCORDING TO THE CRITE RIA OF SWA.

NOT A DANGEROUS GOOD ACCORDING TO THE AUSTRALIAN DANGEROUS GOODS (ADG) CODE.

RISK PHRASES: R66. REPEATED EXPOSURE MAY CAUSE SKIN DRYNESS OR CRACKING.

SAFETY PHRASES: S23, S36, S24/25. DO NOT BREATHE VAPOURS OR MISTS. WEAR SUITABLE P ROTECTIVE CLOTHING. AVOID CONTACT WITH SKIN AND EYES.

SUSMP CLASSIFICATION: NONE ALLOCATED.

ADG CLASSIFICATION: NONE ALLOCATED. NOT A DANGEROUS GOOD UNDER THE ADG CODE.

UN NUMBER: NONE ALLOCATED

GHS SIGNAL WORD: NONE. NOT HAZARDOUS

HAZARD STATEMENT:

AUH066: REPEATED EXPOSURE MAY CAUSE SKIN DRYNESS OR CRACKING.

PREVENTION

P102: KEEP OUT OF REACH OF CHILDREN.

RESPONSE

P353: RINSE SKIN OR SHOWER WITH WATER.

P301+P330+P331: IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.

P332+P313: IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE.

P337+P313: IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE.

P370+P378: NOT COMBUSTIBLE. USE EXTINGUISHING MEDIA SUITED TO BURNING MATERIALS.

STORAGE

P402+P404: STORE IN A DRY PLACE. STORE IN A CLOSED CONTAINER.

P403+P235: STORE IN A WELL-VENTILATED PLACE. KEEP COOL.

DISPOSAL

P501: DISPOSE OF SMALL QUANTITIES AND EMPTY CONTAINERS BY WRAPPING WITH PAPER AND PUTTING IN GARBAGE. FOR LARGER QUANTITIES, IF RECYCLING OR RECLAIMING IS NOT POSSIBLE, USE A COMMERCIAL WASTE DISPOSAL SERVICE.



3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS No	Conc,%	TWA (mg/m ³)	STEL (mg/m ³)
Sodium Carbonate	497-19-8	<60	not set	not set
Sodium Tripolyphosphate	7758-29-4	1-10	not set	not set
Other non hazardous ingredients	various	<5	not set	not set
Water	7732-18-5	to 100	not set	not set

4. FIRST AID MEASURES

Swallowed:	Drink 1 or 2 glasses of water. Do Not induce vomiting. NEVER give anything by mouth to an unconscious person. If symptoms persist seek medical advice.
Eye Exposure:	Immediately flush eyes with plenty of water holding eyelids open. If eye irritation persists, seek medical advice.
Skin Exposure:	Wash of with water. If skin irritation persists seek medical advice.
Inhalation:	Remove victim from exposure to fresh air. If feeling unwell seek medical advice.
Advice to Doctor	Treat symptomatically based on individual reactions of patient and judgement of doctor.

5. FIRE FIGHTING MEASURES

Hazchem Code: None Allocated Product is water based and is unlikely to play a contributing role in any fire.

Special protective precautions and equipment for fire fighters

Fire fighters should use the appropriate equipment for the surrounding fire.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: MATERIAL CAN CREATE SLIPPERY CONDITIONS.

ENVIRONMENTAL PRECAUTIONS:

CAUTION: KEEP SPILLS AND CLEANING RUNOFF OUT OF DRAINS AND OPEN BODIES OF WATER.

METHODS & MATERIALS FOR CONTAINMENT & CLEAN UP:

CONTAIN SPILLS IMMEDIATELY WITH INERT ABSORBENT MATERIALS (E.G. SAND, EARTH). TRANSFER LIQUIDS AND USED ABSORBENT MATERIAL TO SEPARATE SUITABLE CONTAINERS FOR RECOVERY OR DISPOSAL.

7. HANDLING & STORAGE

Handling: Avoid contact with eyes.

Conditions for safe storage

Store in a cool, dry, well-ventilated area. Keep container closed when not in use.



4

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT(S):	NOT ESTABLISHED FOR THIS PRODUCT
EXPOSURE CONTROLS: EYE PROTECTION:	AVOID CONTACT WITH EYES.
HAND PROTECTION:	
ENGINEERING MEASURE	S. NO SPECIAL PRECALITIONS

9. PHYSICAL & CHEMICAL PROPERTIES

Physical state:	Thick Creamy Liquid
Colour:	Blue
Odour:	Mild Citrus Odour
pH:	9-10
Boiling point/range:	Non combustible
Melting point/range:	Non combustible
Flash point:	Non combustible
Lower explosion limit:	Not applicable
Upper explosion limit:	Not applicable
Vapour pressure:	Non combustible
Relative vapour density:	Not established
Water solubility:	Miscible with water at all proportions
Relative density:	1.48-1.52
Viscosity, dynamic:	Not applicable
Evaporation rate:	Not established
Percent volatility:	Not determined

NOTE: The physical data presented above are typical values and should not be construed as a specification.



10. STABILITY & REACTIVITY

HAZARDOUS REACTIONS: PRODUCT IS STABLE UNDER NORMAL CONDITIONS

OF USE, STORAGE AND TEMPERATURE.

MATERIALS TO AVOID: POLYMERIZATION:

NO SPECIAL PRECAUTIONS.

PRODUCT WILL NOT UNDERGO POLYMERIZATION.

11. TOXICOLOGICAL INFORMATION

No data is available for this material.

Health Effects – Acute

Swallowed

May be irritating to digestive system.

Eye

May cause eye irritation.

Skin May be irritating to skin with prolonged contact.

Inhaled

Not a likely health issue. Remove victim from exposure to fresh air. If feeling unwell seek medical advice.



12. ECOLOGICAL INFORMATION

Ecotoxicity: No data available

Persistence and degradability: No information available for this product.

Mobility: No information available on this product.

Additional information

Environmental fate (exposure): Avoid contaminating waterways, drains and sewers.

Bioaccumulative potential: No information available for this product.

13. DISPOSAL CONSIDERATIONS

Environmental precautions: CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

Disposal: Dispose of in accordance with local, state and federal regulations.



14. TRANSPORT INFORMATION

Classification for ROAD and RAIL transport; Not regulated (Not dangerous for transport) Classification for SEA transport (IMO-IMDG): Not regulated (Not dangerous for transport) Classification for AIR transport (IATA/ICAO): Not regulated (Not dangerous for transport)

Hazchem Code: None allocated.

15. REGULATORY INFORMATION

Label

Classification and labelling have been performed according to regulations.

Poison Schedule

None allocated

EPG

Not applicable

Australia. Industrial Chemical (Notification and Assessment) Act (AUSTR).

All ingredients in this preparation are listed in the Australian Inventory of Chemical Substances, AICS.



16. OTHER INFORMATION

Date of Preparation: 01/0172023

Key to Abbreviations & Acronyms Used in SDS:

> Greater Than AICS Australian Inventory of Chemical Substances CAS Chemical Abstracts Service (Registry Number) LC50 LC stands for lethal Concentration. LC50 is the concentration of a material in air which causes death of 50% (one half) of a group of test animals. LD50 LD stands for "Lethal Dose". LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals. NOHSC National Occupational Health and Safety Commission. OECD Organisation for Economic Co-operation and Development. PEL Permissible Exposure Limit. STEL Short Term Exposure Limit TLV Threshold Limit Value TWA Time Weighted Average UN United Nations (Number)	<	Less Than
AICS CAS LC50Australian Inventory of Chemical Substances Chemical Abstracts Service (Registry Number)LC50LC stands for lethal Concentration. LC50 is the concentration of a material in air which causes death of 50% (one half) of a group of test animals.LD50LD stands for "Lethal Dose". LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.NOHSCNational Occupational Health and Safety Commission.OECDOrganisation for Economic Co-operation and Development.PELPermissible Exposure Limit.STELShort Term Exposure Limit TLVTWATime Weighted Average UNUNUnited Nations (Number)		
CASChemical Abstracts Service (Registry Number)LC50LC stands for lethal Concentration. LC50 is the concentration of a material in air which causes death of 50% (one half) of a group of test animals.LD50LD stands for "Lethal Dose". LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.NOHSCNational Occupational Health and Safety Commission.OECDOrganisation for Economic Co-operation and Development.PELPermissible Exposure Limit.STELShort Term ExposureLimit TLVThreshold Limit ValueTWATime Weighted AverageUNUnited Nations (Number)		
LC50LC stands for lethal Concentration. LC50 is the concentration of a material in air which causes death of 50% (one half) of a group of test animals.LD50LD stands for "Lethal Dose". LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.NOHSCNational Occupational Health and Safety Commission.OECDOrganisation for Economic Co-operation and Development.PELPermissible Exposure Limit.STELShort Term ExposureLimit TLVThreshold Limit ValueTWATime Weighted AverageUNUnited Nations (Number)		Chemical Abstracts Service (Registry Number)
LD50in air which causes death of 50% (one half) of a group of test animals. LD stands for "Lethal Dose". LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.NOHSCNational Occupational Health and Safety Commission. OECDOECDOrganisation for Economic Co-operation and Development. PELPELPermissible Exposure Limit. STELSTELShort Term Exposure Limit TLVTWATime Weighted Average UNUNUnited Nations (Number)		
NOHSC National Occupational Health and Safety commission. OECD Organisation for Economic Co-operation and Development. PEL Permissible Exposure Limit. STEL Short Term Exposure Limit TLV Threshold Limit Value TWA Time Weighted Average UN United Nations (Number)	L000	in air which causes death of 50% (and half) of a group of test animals
NOHSC National Occupational Health and Safety commission. OECD Organisation for Economic Co-operation and Development. PEL Permissible Exposure Limit. STEL Short Term Exposure Limit TLV Threshold Limit Value TWA Time Weighted Average UN United Nations (Number)		III dii Willich Causes dealth of 50% (offer fiath) of a group of test affiliats.
NOHSC National Occupational Health and Safety commission. OECD Organisation for Economic Co-operation and Development. PEL Permissible Exposure Limit. STEL Short Term Exposure Limit TLV Threshold Limit Value TWA Time Weighted Average UN United Nations (Number)	LDJU	at once which causes the death of 50% (one half) of a group of test animals
OECD Organisation for Economic Co-operation and Development. PEL Permissible Exposure Limit. STEL Short Term Exposure Limit TLV Threshold Limit Value TWA Time Weighted Average UN United Nations (Number)	NOLICO	at once, which causes the dealth of 50% (one half) of a group of lest animals.
PEL Permissible Exposure STEL Short Term Exposure Limit TLV Threshold Limit TWA Time Weighted Average UN United Nations (Number)		National Occupational Health and Salety Commission.
TWA Time Weighted Average UN United Nations (Number)		Organisation for Economic Co-operation and Development.
TWA Time Weighted Average UN United Nations (Number)	PEL	Permissible Exposure Limit.
TWA Time Weighted Average UN United Nations (Number)		Snort lerm Exposure
UN United Nations (Number)		
	deg C ('C)	Degrees
Celsius g Gram	Celsius g	
g/cm3 Grams per cubic	g/cm3	
centimetre g/l Grams per litre	centimetre g/l	Grams per litre
Immiscible Liquids are insoluble in each other	Immiscible	
kg Kilogram	kg	Kilogram
kg/m3 Kilograms per cubic	kg/m3	Kilograms per cubic
metre Itr Litre	metre Itr	Litre
m3 Cubic	m3	
metre mg Milligram	metre mg	Milligram
mg/24H Milligräms per 24 hours	mg/24H	Milligrams per 24 hours
mg/kg Milligrams per kilogram	mg/kg	
mg/m3 Milligrams per cubic metre	mg/m3	Milligrams per cubic metre
mg/m3 Milligrams per cubic metre miscible Liquids form one homogeneous liquid	miscible	Liquids form one homogeneous liquid
ppm Parts per million		Parts per million
wit Weight		

Literature References: Supplies SDS

THE INFORMATION PROVIDED IN THIS SAFETY DATA SHEET IS CORRECT TO THE BEST OF OUR KNOWLEDGE, INFORMATION AND BELIEF AT THE DATE OF ITS PUBLICATION.

THE INFORMATION GIVEN IS DESIGNED ONLY AS GUIDANCE FOR SAFE HANDLING, USE, PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL AND RELEASE AND IS NOT TO BE CONSIDERED A WARRANTY OR QUALITY SPECIFICATION.

THE INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS, UNLESS SPECIFIED IN THE TEXT.

END OF SDS