

#### ENVIRO CHEMICALS AUSTRALIA PTY LTD

ABN: 22 094 087 493 ACN: 094087493

Tel: (02) 9755 2012 www.envirochemicals.com.au Email: info@envirochemicals.com.au

### **ENVIRO RINSE AID**

#### SupaDry

#### MACHINE RINSE AID

**ENVIRO RINSE AID** *SupaDry* is a revolutionary designed special formula to eliminate striking, water spotting on glassware, crockery and cutlery.

**ENVIRO RINSE AID's** unique Environmentally friendly low foaming new tech sanitising formula has a *built-in descaler* and contains a very effective **water softening and wetting agent.** 

**ENVIRO RINSE AID** provides a superb, clear, streak free, spot free wash when used in conjunction with **ENVIRO DISHMATIC.** 

**ENVIRO RINSE AID** is safe on stainless steel and silver cutlery. It also prevents glass from hazing.

**ENVIRO RINSE AID** is safe and it can be used with all types of commercial, domestic dishwashing and glass washing machines.

#### **Directions for use:**

**Commercial machines:** Automatic dispensers are usually fitted to machinery that automatically add Rinse Aid to the final rinse. Ask our agent or supplier to adjust your automatic dosage.

Follow your machine manufacturer's handbook for correct operating procedures and correct dosage levels.

**Domestic machines:** See your dishwasher / glasswasher instruction booklet for how to add Rinse Aid.

You don't have to settle for second best to save money when cleaning. Step-up to the new level in Cleaning Detergents & Soaps.

Use Enviro Chemicals and you will never settle for second best again.

We trust this product will be of interest to you and for more info visit our Web site.

Please do not hesitate to contact us if we can be of further assistance.



## SAFETY DATA SHEET

## 1. PRODUCT & COMPANY IDENTIFICATION

**Product Name:** 

Rinse Aid

**Uses:** 

Machine Rinse Additive.

**COMPANY DETAILS:** 

Company:

Enviro Chemicals (Aust.) Pty Ltd.

(A.C.N: 094087493)

**Address:** 

740-744 Woodville Road Fairfield East

NSW 2165.

**Emergency PH:** 

(02) 9755 2012 (**Business hour**) or

Poisons Information Centre Telephone: 13 11 26



## 2. HAZARDS IDENTIFICATION

#### STATEMENT OF HAZARDOUS NATURE

THIS PRODUCT IS CLASSIFIED AS: XI, IRRITATING-HAZARDOUSACCORDINGTOTHECRITERIAOFSWA. NOTADANGEROUSGOODACCORDINGTOTHEAUSTRALIANDANGEROUSGOODS (ADG)CODE.

RISK PHRASES: R41,R66,R36/38.RISKOFSERIOUSDAMAGETOEYES.REPEATEDEXPOSUREMAYCAUSESKIN DRYNESSOR CRACKING.IRRITATINGTOEYESAND SKIN.

SAFETY PHRASES: \$23,\$26,\$28,\$36,\$38,\$24/25,\$37/39.DONOTBREATHEVAPOURSOR MISTS.INCASE OFCONTACTWITHEYES,RINSEIMMEDIATELYWITHPLENTYOFWATERAND CONTACTADOCTOROR POISONSINFORMATIONCENTRE AFTERCONTACTWITHSKIN,WASHIMMEDIATELYWITHPLENTYOFWATER.WEARSUITABLEPROTECTIVECLOTHING.INCASE OF INSUFFICIENTYENTILATION.WEARSUITABLERESPIRATORYEQUIPMENT.AVOIDCONTACTWITHSKINAND EYES.WEARSUITABLEGLOVESAND EYE/FACEPROTECTION.

SUSMP CLASSIFICATION:S5ADG CLASSIFICATION:NONEALLOCATED.NOTADANGEROUSGOODUNDERTHEADGCODE.

UN NUMBER: NONEALLOCATED

#### **GHS SIGNAL WORD: WARNING**

#### HAZARD STATEMENT:

AUH066: REPEATED EXPOSURE MAY CAUSE SKIN DRYNESS ORCRACKING.
H315: CAUSES SKIN IRRITATION.
H319: CAUSES SERIOUS EYE IRRITATION.
H336: MAYCAUSE RESPIRATORY IRRITATION.

#### **PREVENTION**

P102: KEEP OUT OFREACH OF CHILDREN.

P261:AVOID BREATHING FUMES, MISTS, VAPOURS ORSPRAY.

P264: WASHCONTACTED AREAS THOROUGHLYAFTER HANDLING.

P271: USE ONLYOUTDOORS ORINAWELLVENTILATED AREA

P280: WEARPROTECTIVE GLOVES, PROTECTIVE CLOTHINGAND EYE ORFACE PROTECTION.

#### RESPONSE

P312: CALLAPOISON CENTRE ORDOCTOR IFYOU FEELUNWELL.

P362: TAKE OFFCONTAMINATED CLOTHINGAND WASH BEFORE REUSE.

P301+P330+P331: IF SWALLOWED:RINSE MOUTH. DONOTINDUCE VOMITING.

P302+P352: IF ONSKIN: WASHWITHPLENTY OF SOAPAND WATER.

P304+P340: IF INHALED: REMOVE VICTIMTOFRESHAIRAND KEEPATREST INAPOSITIONCOMFORTABLE FORBREATHING.

P305+P351+P338: IF INEYES: RINSE CAUTIOUSLY WITHWATERFORSEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TODO. CONTINUE RINSING.

P332+P313: IF SKIN IRRITATION OCCURS: GETMEDICALADVICE.

P337+P313: IF EYE IRRITATIONPERSISTS: GET MEDICAL ADVICE.

P391: COLLECT SPILLAGE.

 ${\tt P370+P378:}\ {\tt NOT\ COMBUSTIBLE.USE\ EXTINGUISHING\ MEDIA\ SUITED\ TO\ BURNING\ MATERIALS.}$ 

#### **STORAGE**

 ${\tt P403+P233:} \ {\tt STORE\ IN\ A\ WELL-VENTILATEDPLACE.}\ {\tt KEEP\ CONTAINER\ TIGHTLY\ CLOSED.}$ 

#### DISPOSAL

P501: DISPOSE OF SMALL QUANTITIES AND EMPTY CONTAINERS BY WRAPPING WITHPAPER AND PUTTINGIN GARBAGE. FOR LARGER QUANTITIES, IF RECYCLING OR RECLAIMING IS NOT POSSIBLE. USE A COMMERCIAL WASTE DISPOSAL SERVICE.



# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Cher	nical Identity	Percentage	CAS No.
Citrio	: Acid	<8	77-92-9
Anio Ethai	vionic surfactant nic Surfactant nol ols, C12-C14, oxylated propoxylated)	<5 <5 <10 <10	Non Hazardous Non Hazardous 64-17-5 1310-58-3
Colo Wat		Trace Remainder	Non Hazardous 7732-18-5



### 4. FIRST AID MEASURES

**Swallowed**: Drink 1 or 2 glasses of water. Do Not induce vomiting.

NEVER give anything by mouth to an unconscious person.

If symptoms persist seek medical advice.

**Eye Exposure**: Immediately flush eyes with plenty of water holding eyelids open. If eye irritation persists, seek medical advice.

**Skin Exposure**: Wash of with water. If skin irritation persists seek medical advice.

**Inhalation**: Remove victim from exposure to fresh air. If feeling unwell seek medical advice.

**Advice to Doctor** 

Treat symptomatically based on individual reactions of patient and judgement of doctor.

## 5. FIRE FIGHTING MEASURES

Hazchem Code: None Allocated

Product is water based and is unlikely to play a contributing role in any fire.

Special protective precautions and equipment for fire fighters

Fire fighters should use the appropriate equipment for the surrounding fire.



## 6. ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS:

USE PERSONAL PROTECTIVE EQUIPMENT.

KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK.

MATERIAL CAN CREATE SLIPPERY CONDITIONS.

#### **ENVIRONMENTAL PRECAUTIONS:**

CAUTION: KEEP SPILLS AND CLEANING RUNOFF OUT OF DRAINS AND OPEN BODIES OF WATER.

#### **METHODS & MATERIALS FOR CONTAINMENT & CLEAN UP:**

CONTAIN SPILLS IMMEDIATELY WITH INERT ABSORBENT MATERIALS (E.G. SAND, EARTH).

TRANSFER LIQUIDS AND USED ABSORBENT MATERIAL TO
SEPARATE SUITABLE CONTAINERS FOR RECOVERY OR DISPOSAL.

### 7. HANDLING & STORAGE

#### Handling:

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container tightly closed. Do not breathe vapours, mist or fumes.

#### Conditions for safe storage

Store in a cool, dry, well-ventilated area.

Keep container closed when not in use.



# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**EXPOSURE LIMIT(S):** THERE IS NO EXPOSURE DATA FOR THIS PRODUCT. THE EXPOSURE STANDARDS FOR 2- BUTOXYETHANOL CAS NO: 111-76-2; TWA: 20PPM (96.9MG/M3) STEL: 50PPM (242MG/M3). ABSORPTION THROUGH SKIN MAY BE A SIGNIFICANT SOURCE OF EXPOSURE.

**EXPOSURE CONTROLS**: IF WORKING IN CONFINED SPACE OR POOR

**VENTILATION USE APPROPRIATE RESPIRATORY** 

PROTECTION OR WORK IN WELL VENTILATED AREAS.

**EYE PROTECTION:** WEAR SAFETY GLASS, AVOID CONTACT WITH EYES.

**ENGINEERING MEASURES:** USE ONLY IN A WELL VENTILATED AREA. IF HANDLING LARGE AMOUNTS A SYSTEM OF LOCAL AND/OR GENERAL EXHAUST IS RECOMMENDED.

WEAR SUITABLE GLOVES.

## 9. PHYSICAL & CHEMICAL PROPERTIES

Physical state: Liquid

Colour: Blue

HAND PROTECTION:

Odour: Non

**pH:** 10 -10.5

**Boiling point/range:** Approx: 100 – 171 deg. Celsius.

Melting point/range: <00C Water

Flash point: Non combustible

Vapour pressure: Not established

Relative vapour density: Not established

Water solubility: Miscible with water at all proportions

Relative density: 1.05

**NOTE:** The physical data presented above are typical values and should not be construed as a specification.



### 10. STABILITY & REACTIVITY

HAZARDOUS REACTIONS: PRODUCT IS STABLE UNDER NORMAL

CONDITIONS OF USE, STORAGE AND

TEMPERATURE.

MATERIALS TO AVOID: STRONG ACIDS.

POLYMERIZATION: PRODUCT WILL NOT UNDERGO POLYMERIZATION

### 11. TOXICOLOGICAL INFORMATION

No data is available for this material.

The information shown is for 2-Butoxyethanol which is present at less than 10%.

#### **Toxicity Data**

Oral LD50 Rat: 470mg/Kg. Skin LD50 Rabbit: 220mg/Kg. Inhaled LC50 Rat: 2211mg/m3 (4hr). Skin Irritation Rabbit: Slight irritation. Eye Irritation:

Note: No studies are available on the effects of long term exposure in humans. Studies indicate that repeated exposure causes blood, liver and kidney disorders in animals. Deaths in acute studies were generally caused by narcosis or respiratory failure, with kidney failure seen as a secondary cause.

The main toxic effect observed in acute and repeated dose animal studies is haemolysis. The effect varies between species with rats and mice the most susceptible, rabbits less susceptible and guinea-pigs and humans least susceptible. Changes in kidney, liver, spleen and lungs were found in animals exposed by ingestion, inhalation and skin absorption. Deaths usually result from CNS depression, lung damage and kidney injury.

#### **Health Effects - Acute**

#### **Swallowed**

May be harmful if swallowed. Ingestion may cause irritation of mucous membranes in mouth, pharynx, oesophagus and gastro-intestinal tracts. Symptoms include nausea, headache, vomiting, ataxia (impaired locomotor co-ordination), acidosis, drowsiness, Agitation, insomnia, changes in the blood pressure, pulmonary oedema and damage to the liver and kidneys.

**Eye:** Causes eye irritation.

**Skin:** Irritating to skin. Danger of skin absorption.

**Inhaled:** Inhalation causes irritation to the mucus membranes, coughing and dyspnoea.

Chronic exposure causes damage to blood cells and blood in urine.



## 12. ECOLOGICAL INFORMATION

Ecotoxicity: No data available

Persistence and degradability: No information available for this product.

**Mobility:** No information available on this product.

Additional information

**Environmental fate (exposure):** Avoid contaminating waterways, drains and sewers.

**Bioaccumulative potential:** No information available for this product.

# 13. DISPOSAL CONSIDERATIONS

**Environmental precautions: CAUTION:** 

Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Disposal:** Dispose of in accordance with local, state and federal regulations.



# 14. TRANSPORT INFORMATION

Classification for ROAD and RAIL transport;

Not regulated (Not dangerous for transport)

Classification for SEA transport (IMO-IMDG):

Not regulated (Not dangerous for transport)

Classification for AIR transport (IATA/ICAO):

Not regulated (Not dangerous for transport)

Hazchem Code: None allocated.

# 15. REGULATORY INFORMATION

#### Label

Classification and labelling have been performed according to regulations.

**Poison Schedule** 

None allocated

**EPG** 

Not applicable

Australia. Industrial Chemical (Notification and Assessment) Act (AUSTR).

All ingredients in this preparation are listed in the Australian Inventory of Chemical Substances, AICS.



### 16. OTHER INFORMATION

Date of Preparation: 01/01/2024

Key to Abbreviations & Acronyms Used in SDS:

Less Than < Greater Than >

**AICS** Australian Inventory of Chemical Substances Chemical Abstracts Service (Registry Number) CAS

LC stands for lethal Concentration. LC50 is the concentration of a material LC50

in air which causes death of 50% (one half ) of a group of test animals.

LD stands for "Lethal Dose". LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals. **LD50** 

National Occupational Health and Safety Commission. NOHSC Organisation for Economic Co-operation and Development. OECD

PEL Permissible Exposure Limit. STEL Short Term Exposure Limit TLV Threshold Limit Value TWA Time Weighted Average United Nations (Number) UN

deg C ('C) Degrees Celsius g Gram g/cm3 Grams per cubic

centimetre q/I Grams per litre

**Immiscible** Liquids are insoluble in each other

kg Kilogram kg/m3 Kilograms per cubic

Litre metre Itr m3 Cubic Milligram metre mg

mg/24H Milligrams per 24 hours Milligrams per kilogram mg/kg Milligrams per cubic metre mg/m3

Liquids form one homogeneous liquid miscible

Parts per million ppm Weight wt

Literature References: Supplies SDS

THE INFORMATION PROVIDED IN THIS SAFETY DATA SHEET IS CORRECT TO THE BEST OF OUR KNOWLEDGE, INFORMATION AND BELIEF AT THE DATE OF ITS PUBLICATION.

THE INFORMATION GIVEN IS DESIGNED ONLY AS GUIDANCE FOR SAFE HANDLING, USE, PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL AND RELEASE AND IS NOT TO BE CONSIDERED A WARRANTY OR QUALITY SPECIFICATION.

THE INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS, UNLESS SPECIFIED IN THE TEXT.

END OF SDS

**Enviro Chemicals** Rinse Aid SDS

Issued on 1'st of January 2024